



MITI-K02

## ASSOCIATED TOOLS

### Sharpener For Kinfe & Scissors

#### MITI-K02

- SHARPENS KNIVES AND SCISSORS WITH TUNGSTEN CARBIDE BLADES
- BUILT-IN SAFETY PROTECTOR
- MAGNETIC BASE FOR EASY STORAGE

MODEL	Q'TY	N.W.	G.W.	CUFT
MITI-K02	120 PCS	10.0 KGS	11.5 KGS	2.8'



Sharpener



Magnetic Base






## Trowel

### T08014

- NOTCHED PLASTIC SCRAPER
- FOUR NOTCH SIZE : 4.0mm×6.0mm×8.0mm×10.0mm
- FOR GLAZED WALL TILE AND CERAMIC MOSAICS
- FOR QUARRY PRIMITIVE AND PAGERS
- MATERIAL : ABS
- SIZE : 120mm×135mm

MODEL	Q'TY	N.W.	G.W.	CUFT
T08014	480 PCS	20.0 KGS	21.5 KGS	1.2'



T08014

### T08017

- ADHESIVE SPREADER AND GROUTER
- THE NOTCHED EDGE IS DESIGNED TO QUICKLY AND EVENLY SPREAD TILE ADHESIVE OVER LARGE AREAS
- THE FLEXIBLE RUBBER BLADE IS DESIGNED TO PRODUCE A FINISHED GROUTED JOINT
- MATERIAL : PP+TPR

MODEL	Q'TY	N.W.	G.W.	CUFT
T08017	288 PCS	18.0 KGS	19.5 KGS	1.5'



T08017

### T08011 (200)(300)(400)

- GROUT SQUEEGEE
- THE PLIABLE RUBBER FORCES GROUT INTO THE SPACES BETWEEN TILES AND HELPS TO PREVENT SCRATCHING
- DEEP RUBBER BLADE HOLDS LARGE AMOUNTS OF GROUT ALLOWING WIDE AREAS TO BE COVERED EASILY

MODEL	SIZE	Q'TY	N.W.	G.W.	CUFT
T08011 (200)	200mm	144 PCS	22.0 KGS	23.5 KGS	1.6'
T08011 (300)	300mm	96 PCS	22.0 KGS	23.5 KGS	1.7'
T08011 (400)	400mm	72 PCS	20.5 KGS	22.0 KGS	1.7'



T08011

(WOOD HANDLE)



(PLASTIC HANDLE)

### TS080010/TS080020/TS080021/TS080030/TS080040/TS080060

- NOTCH TROWEL

MODEL	Q'TY	N.W.	G.W.	CUFT
TS080010	60 PCS	18.5 KGS	19.5 KGS	3.0'
TS080020	60 PCS	22.5 KGS	23.5 KGS	3.0'
TS080021	60 PCS	26.0 KGS	27.0 KGS	3.0'
TS080030	60 PCS	22.5 KGS	23.5 KGS	3.0'
TS080040	60 PCS	27.5 KGS	28.5 KGS	3.0'
TS080060	144 PCS	18.5 KGS	20.0 KGS	2.0'



TS080010



TS080030



TS080040



TS080060  
(MARGIN TROWEL)



TS080020  
(WOODEN HANDLE)  
TS080021  
(PLASTIC HANDLE)





## Molded Rubber Grout Float

### TS080050

- BLACK FOAM RUBBER FLOAT
- PLASTIC HANDLE
- SIZE : 4"x9"

MODEL	Q'TY	N.W.	G.W.	CUFT
TS080050	72 PCS	19.0 KGS	20.5 KGS	4.0'



TS080050

## Adjusting Tool

### TS080002

- LINE PINS
- FORGED STEEL
- SIZE : 155mm

MODEL	Q'TY	N.W.	G.W.	CUFT
TS080002	120 PCS	15.0 KGS	16.0 KGS	1.3'



TS080002

### T08016

- TILE ADJUSTING PLATES, 2 PCS
- WITH 10m NYLON LINE

MODEL	Q'TY	N.W.	G.W.	CUFT
T08016	384 PCS	17.0 KGS	18.0 KGS	1.6'



T08016

## Paint & Mud Mixer

### TS080005

- CAN BE USED TO MIX CONCRETE, PLASTER, MORTAR, STUCCO, THIN SET AND GROUT
- THE SHAFT IS MADE OF NON-SLIP HEX ROD
- ENAMEL FINISH
- 80mmØ×400mm

MODEL	Q'TY	N.W.	G.W.	CUFT
TS080005	72 PCS	23.5 KGS	24.5 KGS	3.4'



TS080005

## Paint & Paste Stirrer

### TS080006

- FOR ALL PAINTS, GLUES AND PASTES
- FOR QUICK AND EFFECTIVE MIXING OF PAINT OR WALLPAPER PASTE
- THE HANDLE OF THE PAINT STIRRER INCORPORATES AN INTEGRAL CAN/BUCKET CLIP
- MATERIAL : PP

MODEL	Q'TY	N.W.	G.W.	CUFT
TS080006	144 PCS	4.5 KGS	6.0 KGS	3.2'



TS080006

## Grout Finisher

### T08020

- ROUND END FOR SMOOTHING GROUT LINE, STRAIGHT END FOR EXCESS GROUT REMOVAL
- MATERIAL : NYLON

MODEL	Q'TY	N.W.	G.W.	CUFT
T08020	60 PCS	18.0 KGS	19.0 KGS	1.8'



T08020

## Silicone Finisher

### T08022

- FLEXIBLE RUBBER END, FOR SMOOTHING SEALANT
- MATERIAL : PP+TPR

MODEL	Q'TY	N.W.	G.W.	CUFT
T08022	360 PCS	9.0 KGS	10.0 KGS	1.0'



T08022



## Rubber Tools

### TS080003

- RUBBER MALLETS
- WILL NOT MARK SLATE, TILE, ETC
- RUBBER HEAD SECURELY MOUNTED ON WOOD HANDLE

MODEL	DIAMETER	WEIGHT	Q'TY	N.W.	G.W.	CUFT
TS080003	4.5	8 OZ	60 PCS	17.0 KGS	18.0 KGS	1.9'
	5.2	12 OZ	36 PCS	16.0 KGS	17.0 KGS	1.6'
	5.8	16 OZ	36 PCS	20.0 KGS	21.0 KGS	1.9'



TS080003

### T08015

- SUCTION CUP
- THE IDEAL LIFTING DEVICE FOR MOVING AND POSITIONING SMOOTH NON-POROUS ITEMS LIKE MARBLE, GRANITE, TILES, GLASS, ETC
- PUSH DOWN TO APPLY AND LIFT EDGE TO RELEASE
- HOLDS UP TO 20 KGS IN HORIZONTAL POSITION
- MATERIAL : RUBBER
- SIZE : Ø83mm

MODEL	Q'TY	N.W.	G.W.	CUFT
T08015	144 PCS	18.0 KGS	20.0 KGS	2.0'



T08015

### T80121/T80122/T80123

- KNEE PADS
- EXPANDED SYNTHETIC RUBBER MOLD KNEE PADS
- LIGHTWEIGHT KNEE PADS FOR LAYING TILE, GARDENING AND OTHER KNEELING JOBS
- GIVE ESSENTIAL PROTECTION AND COMFORT WHEN FLOOR TILING, LAYING LOFT INSULATION, GARDENING AND ARRYING OUT BUILDING WORK, ETC
- ADJUSTABLE STRAP

MODEL	Q'TY	N.W.	G.W.	CUFT
T80121	48 PAINS	25.0 KGS	26.0 KGS	2'
T80122	48 PAINS	14.0 KGS	15.0 KGS	1.3'
T80123	36 PAINS	21.0 KGS	22.0 KGS	2.4'



T80121 (Rubber)  
T80122 (PVC)


T80123 (Rubber)

## Triangular Drilling Tile Hole Cutter

### T8013150/T8013173

- MATERIAL : STEEL WITH TUNGSTEN CARBIDE
- AXLE CENTER 8MM HEX SHANK
- ENAMEL FINISH

MODEL	SIZE	Q'TY	N.W.	G.W.	CUFT
T8013150	Ø 50mm	144 PCS	12.5 KGS	14.0 KGS	1.2'
T8013173	Ø 73mm	144 PCS	19.0 KGS	20.5 KGS	1.2'



T8013173

T8013150



## Nail Puller

### ST01-510

- DROP FROGED CARBON STEEL BODY
- NICKEL-PLATED FINISH
- 270mm LENGTH



ST01-510

MODEL	Q'TY	N.W.	G.W.	CUFT
ST01-510	72 PCS	19.0 KGS	20.5 KGS	1.0'


## Carbide Chisel (FLAT)

### ST2-6.3/ST3-9.5/ST4-12

- TUNGSTEN CARBIDE TIP
- MATERIAL : CHROME MOLYBDENUM



TUNSTEN CARBIDE



TUNGSTEN CARBIDE

MODEL	SIZE	Q'TY	N.W.	G.W.	CUFT
ST2-6.3	1/4"x6"	216 PCS	12.0 KGS	13.5 KGS	1.0'
ST3-9.5	3/8"x6"	216 PCS	23.0 KGS	24.5 KGS	1.0'
ST4-12	1/2"x6"	144 PCS	23.0 KGS	24.5 KGS	1.0'

## Others

### T0809

- TILE EDGE SANDER
- THE TILE EDGE SANDER IS A HANDY USEFUL FILE FOR SMOOTHING ROUGH EDGES
- EDGE AND SHAPING TILES TO FIT IRREGULAR SPACES
- MATERIAL : ABS




T0809

MODEL	Q'TY	N.W.	G.W.	CUFT
T0809	72 PCS	12.0 KGS	13.5 KGS	0.8'

### T08010

- GROUT REMOVER
- SPECIALLY ANGLED BLADE FOR OPTIMUM GROUT REMOVAL
- LONG LIFE TEMPERED ALLOY STEEL BLADE CUTS THOUGHT GROUT FAST FOR EASY REPAIRS
- REPLACEABLE ALLOY STEEL BLADE
- MATERIAL : ABS



T08010

MODEL	Q'TY	N.W.	G.W.	CUFT
T08010	384 PCS	19.5 KGS	22.0 KGS	2.8'

### T08012/T08012B

- TILE HAMMER AND SCRIBER
- TUNGSTEN CARBIDE TIP
- NICKEL-PLATED FINISH/ZINC-PLATED FINISH



T08012

TUNGSTEN CARBIDE

MODEL	SIZE	Q'TY	N.W.	G.W.	CUFT
T08012	270mm	96 PCS	18.0 KGS	19.0 KGS	1.0'
T08012B	190mm	72 PCS	12.0 KGS	13.5 KGS	0.8'



T08012B

TUNGSTEN CARBIDE

### T08013

- BRICK JOINTER
- 1/2" ON ONE END FOR BRICK
- 5/8" ON OTHER END FOR BLOCK
- MADE FROM CARBON STEEL HARDENED AND TEMPERED WITH A PLATED FINISH
- EACH END MARKS A DIFFERENT SIZE ROUNDED JOINT
- POLISHED TO MARKS AND SLICK JOINT



T08013

MODEL	Q'TY	N.W.	G.W.	CUFT
T08013	200 PCS	23.5 KGS	24.5 KGS	0.5'



## Carpet Cutter (PAT.)


### MITI-K03

- INSULATED PP/TPR HANDGRIP
- MATERIAL MAKE BY ALLOY STEEL
- FOR CABLE STRIPPING, CARPET CUTTING, SLICE

MODEL	Q'TY	N.W.	G.W.	CUFT
MITI-K03	96 PCS	15.0 KGS	16.5 KGS	2.8'



MITI-K03



FOR CUTTING CARPET



FOR CUTTING CABLE

## Stair Tool


### ST01-520/ST01-521

- HEAVY DUTY BLADE DRIVES CARPET INTO STAIRWAY CROTCH
- CUSHIONED, SLIP RESISTANT HANDLE
- FORGED CHROME PLATED STEEL FOR DURABILITY

MODEL	SIZE	Q'TY	N.W.	G.W.	CUFT
ST01-520	2-3/4" (70mm)	24 PCS	17.5 KGS	19.0 KGS	1.2'
ST01-521	3-1/2" (90mm)	24 PCS	18.0 KGS	19.5 KGS	1.2'



ST01-520/ST01-521




## Tile Spacers

- SPACES INTERLOCK ALL TILE GIVING AN EVEN JOINT JOB. SPACERS DO NOT HAVE TO BE REMOVED BEFORE GROUTING
- SPACES ALL WORK TO BE DONE ON A SOFTER BASE
- MATERIAL : PP




CROSS

MODEL	SIZE	Q'TY/BAG
T80801	1.0mm	250PCS
T80802	2.0mm	250PCS
T80803	3.0mm	200PCS
T80804	4.0mm	200PCS
T80805	5.0mm	200PCS
T80806	6.0mm	200PCS
T80808	8.0mm	100PCS
T80810	10.0mm	100PCS








TEE

MODEL	SIZE	Q'TY/BAG
T80803T	3.0mm	200PCS
T80805T	5.0mm	200PCS
T80806T	8.0mm	100PCS



WEDGES

MODEL	SIZE	Q'TY/BAG
T808015	1-5mm	250PCS



SIZE	Q'Y	N.W.	G.W.	CUFT
1MM	216 BAGS	13.0 KGS	14.5 KGS	3.6'
2MM	288 BAGS	16.5 KGS	18.0 KGS	3.6'
3MM	144 BAGS	15.0 KGS	16.5 KGS	3.6'
4MM	144 BAGS	19.0 KGS	20.5 KGS	3.6'
5MM	144 BAGS	20.0 KGS	21.5 KGS	3.6'
6MM	144 BAGS	20.0 KGS	22.5 KGS	3.6'
8MM	144 BAGS	17.0 KGS	18.5 KGS	3.6'
3MMT	288 BAGS	16.0 KGS	17.5 KGS	3.6'
5MMT	288 BAGS	22.0 KGS	23.5 KGS	3.6'
8MMT	216 BAGS	20.0 KGS	21.5 KGS	3.6'
1-5MM	216 BAGS	20.0 KGS	21.5 KGS	3.6'
10MM	144 BAGS	20.5 KGS	22.5 KGS	4.5'